



# **Creative Fabrica**

**Embroidery Design  
Sewing Information**

**[www.creativefabrica.com/embroidery/](http://www.creativefabrica.com/embroidery/)**

© Creative Fabrica

**Needle Thread consumption**

1 82.7% (206.7 ft)  
2 17.3% (43.3 ft)

Upper thread 250.0 ft  
Bobbin 83.3 ft

**File: 6633.PES (Babylock, Bernina, Brother)**

**Stitches: 19984**

**Size: 9.01 " x 3.41 "**

**Begin: 4.50 ", 1.70 "**

**End: 7.87 ", 1.94 "**

**Start needle: 1**

**Colors: 2 , Stops: 1**

**Date: 9/29/2022**



Stitches ratio diagram:



**Histogram**

(14951) Stop 1  
(19984) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



**Needle Thread consumption**

1 81.8% (123.6 ft)  
2 18.2% (27.5 ft)

Upper thread 151.0 ft  
Bobbin 50.3 ft

**File: 6633A.PES (Babylock, Bernina, Brother)**

**Stitches: 13705**

**Size: 6.81 " x 2.57 "**

**Begin: 3.41 ", 1.29 "**

**End: 5.95 ", 1.48 "**

**Start needle: 1**

**Colors: 2 , Stops: 1**

**Date: 9/29/2022**



Stitches ratio diagram:



**Histogram**

(10043) Stop 1  
(13705) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



**Needle Thread consumption**

1 80.2% (66.2 ft)  
2 19.8% (16.4 ft)

Upper thread 82.6 ft  
Bobbin 27.5 ft

**File: 6633B.PES (Babylock, Bernina, Brother)**

**Stitches: 8898**

**Size: 4.81 " x 1.82 "**

**Begin: 2.41 ", 0.91 "**

**End: 4.21 ", 1.05 "**

**Start needle: 1**

**Colors: 2 , Stops: 1**

**Date: 9/29/2022**



Stitches ratio diagram:



**Histogram**

(6347) Stop 1  
(8898) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



**Needle Thread consumption**

1 79.1% (45.9 ft)  
2 20.9% (12.2 ft)

Upper thread 58.1 ft  
Bobbin 19.4 ft

**File: 6633C.PES (Babylock, Bernina, Brother)**

**Stitches: 6995**

**Size: 3.91 " x 1.48 "**

**Begin: 1.95 ", 0.74 "**

**End: 3.41 ", 0.84 "**

**Start needle: 1**

**Colors: 2 , Stops: 1**

**Date: 9/29/2022**



Stitches ratio diagram:

3.91 "

1.48 "

**Histogram**

(4918) Stop 1  
(6995) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




**Needle Thread consumption**

1	24.2%	(90.8 ft)
2	42.6%	(160.0 ft)
3	33.2%	(124.6 ft)

Upper thread 375.4 ft  
 Bobbin 125.1 ft

**File: Design5.PES (Babylock, Bernina, Brother)**

**Stitches: 27593**  
**Size: 6.53 " x 9.00 "**  
**Begin: 3.26 ", 4.50 "**  
**End: 1.46 ", 3.51 "**  
**Start needle: 1**  
**Colors: 3 , Stops: 2**  
**Date: 9/29/2022**




Stitches ratio diagram:



**Histogram**

- (8112) Stop 1
- (20298) Stop 2
- (27593) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




**Needle Thread consumption**

1	24.7%	(55.6 ft)
2	42.7%	(95.9 ft)
3	32.6%	(73.2 ft)

Upper thread 224.8 ft  
Bobbin 74.9 ft

**File: Design5A.PES (Babylock, Bernina, Brother)**

**Stitches: 18775**  
**Size: 4.94 " x 6.80 "**  
**Begin: 2.47 ", 3.40 "**  
**End: 1.11 ", 2.65 "**  
**Start needle: 1**  
**Colors: 3 , Stops: 2**  
**Date: 9/29/2022**



Stitches ratio diagram:



**Histogram**

(5889) Stop 1  
(14150) Stop 2  
(18775) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




**Needle Thread consumption**

1	25.5%	(30.8 ft)
2	42.8%	(51.7 ft)
3	31.7%	(38.2 ft)

Upper thread 120.8 ft  
 Bobbin 40.3 ft

**File: Design5B.PES (Babylock, Bernina, Brother)**

**Stitches: 12169**  
**Size: 3.49 " x 4.80 "**  
**Begin: 1.74 ", 2.40 "**  
**End: 0.79 ", 1.86 "**  
**Start needle: 1**  
**Colors: 3 , Stops: 2**  
**Date: 9/29/2022**




Stitches ratio diagram:



**Histogram**

- (4052) Stop 1
- (9453) Stop 2
- (12169) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.






**Needle Thread consumption**

1	26.1%	(22.0 ft)
2	42.9%	(36.1 ft)
3	31.0%	(26.1 ft)

Upper thread 84.1 ft  
Bobbin 28.0 ft

**File: Design5C.PES (Babylock, Bernina, Brother)**

**Stitches: 9521**  
**Size: 2.83 " x 3.90 "**  
**Begin: 1.41 ", 1.95 "**  
**End: 0.63 ", 1.52 "**  
**Start needle: 1**  
**Colors: 3 , Stops: 2**  
**Date: 9/29/2022**




Stitches ratio diagram:



**Histogram**

- (3255) Stop 1
- (7503) Stop 2
- (9521) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




**Needle Thread consumption**

1	16.0%	(70.8 ft)
2	12.6%	(55.7 ft)
3	2.4%	(10.8 ft)
4	1.4%	(6.2 ft)
5	67.6%	(299.6 ft)

Upper thread 443.1 ft  
 Bobbin 147.7 ft

**File: Design17.PES (Babylock, Bernina, Brother)**

**Stitches: 30082**  
**Size: 9.01 " x 7.59 "**  
**Begin: 4.50 ", 3.80 "**  
**End: 8.17 ", 0.06 "**  
**Start needle: 1**  
**Colors: 5 , Stops: 4**  
**Date: 9/29/2022**



Stitches ratio diagram:



**Histogram**

- (4313) Stop 1
- (8113) Stop 2
- (8925) Stop 3
- (9435) Stop 4
- (30082) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




**Needle Thread consumption**

1	16.0%	(42.4 ft)
2	12.5%	(33.1 ft)
3	2.5%	(6.6 ft)
4	1.3%	(3.5 ft)
5	67.7%	(179.4 ft)

Upper thread 264.9 ft  
 Bobbin 88.3 ft

**File: Design17A.PES (Babylock, Bernina, Brother)**

**Stitches: 19920**  
**Size: 6.81 " x 5.73 "**  
**Begin: 3.41 ", 2.87 "**  
**End: 6.18 ", 0.04 "**  
**Start needle: 1**  
**Colors: 5 , Stops: 4**  
**Date: 9/29/2022**



Stitches ratio diagram:



**Histogram**

- (2786) Stop 1
- (5286) Stop 2
- (5837) Stop 3
- (6141) Stop 4
- (19920) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




**Needle Thread consumption**

1	16.1%	(22.8 ft)
2	12.7%	(18.0 ft)
3	2.5%	(3.6 ft)
4	1.3%	(1.9 ft)
5	67.4%	(95.7 ft)

Upper thread 142.0 ft  
 Bobbin 47.3 ft

**File: Design17B.PES (Babylock, Bernina, Brother)**

**Stitches: 12587**  
**Size: 4.81 " x 4.05 "**  
**Begin: 2.41 ", 2.02 "**  
**End: 4.36 ", 0.03 "**  
**Start needle: 1**  
**Colors: 5 , Stops: 4**  
**Date: 9/29/2022**



Stitches ratio diagram:



**Histogram**

- (1698) Stop 1
- (3292) Stop 2
- (3644) Stop 3
- (3844) Stop 4
- (12587) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




**Needle Thread consumption**

1	16.1%	(15.9 ft)
2	12.6%	(12.4 ft)
3	2.6%	(2.5 ft)
4	1.3%	(1.3 ft)
5	67.4%	(66.5 ft)

Upper thread 98.6 ft  
Bobbin 32.9 ft

**File: Design17C.PES (Babylock, Bernina, Brother)**

**Stitches: 9655**  
**Size: 3.91 " x 3.29 "**  
**Begin: 1.95 ", 1.65 "**  
**End: 3.55 ", 0.03 "**  
**Start needle: 1**  
**Colors: 5 , Stops: 4**  
**Date: 9/29/2022**



Stitches ratio diagram:



**Histogram**

- (1304) Stop 1
- (2425) Stop 2
- (2701) Stop 3
- (2859) Stop 4
- (9655) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



**Needle Thread consumption**

1 ■ 100.0% (81.1 ft)

Upper thread 81.1 ft  
Bobbin 27.0 ft

**File: Design25.PES (Babylock, Bernina, Brother)**

**Stitches: 6018**

**Size: 3.67 " x 3.91 "**


**Begin: 1.83 ", 1.95 "**

**End: 0.71 ", 0.35 "**

**Start needle: 1**

**Colors: 1 , Stops: 0**

**Date: 9/29/2022**



**Histogram**

(6018) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



**Needle Thread consumption**

1 ■ 100.0% (118.8 ft)

Upper thread 118.8 ft  
Bobbin 39.6 ft

**File: Design25A.PES (Babylock, Bernina, Brother)**

**Stitches: 8148**

**Size: 4.53 " x 4.81 "**


**Begin: 2.26 ", 2.41 "**

**End: 0.86 ", 0.43 "**

**Start needle: 1**

**Colors: 1 , Stops: 0**

**Date: 9/29/2022**



**Histogram**

(8148) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



**Needle Thread consumption**

1 ■ 100.0% (228.5 ft)

Upper thread 228.5 ft  
Bobbin 76.2 ft

**File: Design25B.PES (Babylock, Bernina, Brother)**

**Stitches: 14026**

**Size: 6.42 " x 6.81 "**


**Begin: 3.21 ", 3.41 "**

**End: 1.24 ", 0.62 "**

**Start needle: 1**

**Colors: 1 , Stops: 0**

**Date: 9/29/2022**



**Histogram**

(14026) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.





**Needle Thread consumption**

1 ■ 100.0% (389.6 ft)

Upper thread 389.6 ft  
Bobbin 129.9 ft

**File: Design25C.PES (Babylock, Bernina, Brother)**

**Stitches: 22325**

**Size: 8.48 " x 9.01 "**


**Begin: 4.24 ", 4.50 "**

**End: 1.62 ", 0.80 "**

**Start needle: 1**

**Colors: 1 , Stops: 0**

**Date: 9/29/2022**



**Histogram**

(22325) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



**Needle Thread consumption**

1 ■ 100.0% (51.2 ft)

Upper thread 51.2 ft  
Bobbin 17.1 ft

**File: Design31.PES (Babylock, Bernina, Brother)**

**Stitches: 5576**

**Size: 2.44 " x 3.91 "**


**Begin: 1.22 ", 1.95 "**

**End: 2.14 ", 3.69 "**

**Start needle: 1**

**Colors: 1 , Stops: 0**

**Date: 9/29/2022**



**Histogram**

(5576) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



**Scale 2.2:1**

**Needle Thread consumption**

1 100.0% (72.5 ft)

Upper thread 72.5 ft  
Bobbin 24.2 ft

**File: Design31A.PES (Babylock, Bernina, Brother)**

**Stitches: 7093**

**Size: 3.00 " x 4.81 "**


**Begin: 1.50 ", 2.41 "**

**End: 2.63 ", 4.55 "**

**Start needle: 1**

**Colors: 1 , Stops: 0**

**Date: 9/29/2022**



**Histogram**

(7093) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



**Scale 1.8:1**

**Needle Thread consumption**

1 ■ 100.0% (131.9 ft)

Upper thread 131.9 ft  
Bobbin 44.0 ft

**File: Design31B.PES (Babylock, Bernina, Brother)**

**Stitches: 10733**

**Size: 4.24 " x 6.81 "**


**Begin: 2.12 ", 3.41 "**

**End: 3.72 ", 6.44 "**

**Start needle: 1**

**Colors: 1 , Stops: 0**

**Date: 9/29/2022**



**Histogram**

(10733) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



**Scale 1.3:1**

**Needle Thread consumption**

1 ■ 100.0% (218.1 ft)

Upper thread 218.1 ft  
Bobbin 72.7 ft

**File: Design31C.PES (Babylock, Bernina, Brother)**

**Stitches: 15819**

**Size: 5.61 " x 9.01 "**


**Begin: 2.81 ", 4.50 "**

**End: 4.92 ", 8.52 "**

**Start needle: 1**

**Colors: 1 , Stops: 0**

**Date: 9/29/2022**



**Histogram**

(15819) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




**Needle Thread consumption**

1	19.9%	(20.2 ft)
2	72.0%	(73.0 ft)
3	8.1%	(8.2 ft)

Upper thread 101.4 ft  
Bobbin 33.8 ft

**File: Design32.PES (Babylock, Bernina, Brother)**

**Stitches: 13308**  
**Size: 3.91 " x 3.91 "**  
**Begin: 1.95 ", 1.95 "**  
**End: 3.18 ", 0.84 "**  
**Start needle: 1**  
**Colors: 3 , Stops: 2**  
**Date: 9/29/2022**



Stitches ratio diagram:

**Histogram**

(2462) Stop 1  
(11960) Stop 2  
(13308) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



**Needle Thread consumption**

1	19.6%	(27.8 ft)
2	72.8%	(103.2 ft)
3	7.6%	(10.8 ft)

Upper thread 141.8 ft  
Bobbin 47.3 ft

**File: Design32A.PES (Babylock, Bernina, Brother)**

**Stitches: 16717**

**Size: 4.81 " x 4.80 "**


**Begin: 2.41 ", 2.40 "**

**End: 3.92 ", 1.04 "**

**Start needle: 1**

**Colors: 3 , Stops: 2**

**Date: 9/29/2022**



Stitches ratio diagram:

**Histogram**

(3102) Stop 1  
(15047) Stop 2  
(16717) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



**Needle Thread consumption**

1	19.4%	(49.2 ft)
2	73.5%	(186.3 ft)
3	7.1%	(18.0 ft)

Upper thread 253.5 ft  
Bobbin 84.5 ft

**File: Design32B.PES (Babylock, Bernina, Brother)**

**Stitches: 24782**

**Size: 6.81 " x 6.80 "**


**Begin: 3.41 ", 3.40 "**

**End: 5.56 ", 1.46 "**

**Start needle: 1**

**Colors: 3 , Stops: 2**

**Date: 9/29/2022**



Stitches ratio diagram:

**Histogram**

(4708) Stop 1  
(22406) Stop 2  
(24782) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.






**Needle Thread consumption**

1	19.2%	(79.0 ft)
2	74.3%	(306.1 ft)
3	6.6%	(27.1 ft)

Upper thread 412.2 ft  
Bobbin 137.4 ft

**File: Design32C.PES (Babylock, Bernina, Brother)**

**Stitches: 35168**  
**Size: 9.01 " x 9.00 "**  
**Begin: 4.50 ", 4.50 "**  
**End: 7.35 ", 1.94 "**  
**Start needle: 1**  
**Colors: 3 , Stops: 2**  
**Date: 9/29/2022**



Stitches ratio diagram:

**Histogram**

(6655) Stop 1  
(32008) Stop 2  
(35168) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




**Needle Thread consumption**

1	5.0%	(19.2 ft)
2	14.7%	(55.9 ft)
3	78.9%	(300.6 ft)
4	1.4%	(5.2 ft)


Upper thread 380.8 ft  
Bobbin 126.9 ft

**File: Design101.PES (Babylock, Bernina, Brother)**

**Stitches: 25355**  
**Size: 7.06 " x 9.01 "**  
**Begin: 3.53 ", 4.50 "**  
**End: 5.44 ", 4.98 "**  
**Start needle: 1**  
**Colors: 4 , Stops: 3**  
**Date: 9/29/2022**



Stitches ratio diagram:



**Histogram**

(2521) Stop 1  
(8420) Stop 2  
(24928) Stop 3  
(25355) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



**Needle Thread consumption**

1	5.5%	(12.5 ft)
2	15.5%	(35.0 ft)
3	77.6%	(175.3 ft)
4	1.4%	(3.1 ft)

Upper thread 226.0 ft  
Bobbin 75.3 ft

**File: Design101A.PES (Babylock, Bernina, Brother)**

**Stitches: 16758**

**Size: 5.34 " x 6.81 "**


**Begin: 2.67 ", 3.41 "**

**End: 4.11 ", 3.76 "**

**Start needle: 1**

**Colors: 4 , Stops: 3**

**Date: 9/29/2022**



Stitches ratio diagram:



**Histogram**

- (1866) Stop 1
- (6239) Stop 2
- (16477) Stop 3
- (16758) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




**Needle Thread consumption**

1	6.3%	(7.9 ft)
2	16.8%	(20.9 ft)
3	75.5%	(94.3 ft)
4	1.4%	(1.8 ft)


Upper thread 124.9 ft  
Bobbin 41.6 ft

**File: Design101B.PES (Babylock, Bernina, Brother)**

**Stitches: 10664**  
**Size: 3.85 " x 4.91 "**  
**Begin: 1.93 ", 2.46 "**  
**End: 2.96 ", 2.71 "**  
**Start needle: 1**  
**Colors: 4 , Stops: 3**  
**Date: 9/29/2022**



Stitches ratio diagram:



**Histogram**

- (1315) Stop 1
- (4452) Stop 2
- (10467) Stop 3
- (10664) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




**Needle Thread consumption**

1	7.0%	(5.8 ft)
2	17.7%	(14.7 ft)
3	73.8%	(61.4 ft)
4	1.5%	(1.2 ft)


Upper thread 83.2 ft  
Bobbin 27.7 ft

**File: Design101C.PES (Babylock, Bernina, Brother)**

**Stitches: 7859**  
**Size: 3.06 " x 3.91 "**  
**Begin: 1.53 ", 1.96 "**  
**End: 2.35 ", 2.16 "**  
**Start needle: 1**  
**Colors: 4 , Stops: 3**  
**Date: 9/29/2022**



Stitches ratio diagram:



**Histogram**

- (1057) Stop 1
- (3502) Stop 2
- (7714) Stop 3
- (7859) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




**Needle Thread consumption**

1	34.0%	(41.4 ft)
2	32.2%	(39.2 ft)
3	33.8%	(41.1 ft)

Upper thread 121.7 ft  
 Bobbin 40.6 ft

**File: Design510.PES (Babylock, Bernina, Brother)**

**Stitches: 10806**  
**Size: 3.81 " x 4.81 "**  
**Begin: 1.91 ", 2.41 "**  
**End: 3.80 ", 1.34 "**  
**Start needle: 1**  
**Colors: 3 , Stops: 2**  
**Date: 9/29/2022**




Stitches ratio diagram:



**Histogram**

(3454) Stop 1  
 (6960) Stop 2  
 (10806) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




**Needle Thread consumption**

1	34.0%	(28.9 ft)
2	32.1%	(27.3 ft)
3	33.9%	(28.8 ft)

Upper thread 85.1 ft  
Bobbin 28.4 ft

**File: Design510A.PES (Babylock, Bernina, Brother)**

**Stitches: 8424**  
**Size: 3.10 " x 3.91 "**  
**Begin: 1.55 ", 1.95 "**  
**End: 3.09 ", 1.08 "**  
**Start needle: 1**  
**Colors: 3 , Stops: 2**  
**Date: 9/29/2022**



Stitches ratio diagram:

**Histogram**

(2653) **Stop 1**  
(5417) **Stop 2**  
(8424) **End**

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




**Needle Thread consumption**

1	34.1%	(77.6 ft)
2	32.2%	(73.3 ft)
3	33.7%	(76.8 ft)

Upper thread 227.7 ft  
Bobbin 75.9 ft

**File: Design510B.PES (Babylock, Bernina, Brother)**

**Stitches: 17249**  
**Size: 5.41 " x 6.81 "**  
**Begin: 2.70 ", 3.41 "**  
**End: 5.37 ", 1.89 "**  
**Start needle: 1**  
**Colors: 3 , Stops: 2**  
**Date: 9/29/2022**




Stitches ratio diagram:

**Histogram**

(5609) **Stop 1**  
(11199) **Stop 2**  
(17249) **End**

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.






**Needle Thread consumption**

1	34.2%	(130.6 ft)
2	32.2%	(122.9 ft)
3	33.6%	(128.0 ft)

Upper thread 381.5 ft  
Bobbin 127.2 ft

**File: Design510C.PES (Babylock, Bernina, Brother)**

**Stitches: 26014**  
**Size: 7.16 " x 9.01 "**  
**Begin: 3.58 ", 4.50 "**  
**End: 7.11 ", 2.48 "**  
**Start needle: 1**  
**Colors: 3 , Stops: 2**  
**Date: 9/29/2022**



Stitches ratio diagram:



**Histogram**

(8550) Stop 1  
(16997) Stop 2  
(26014) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Needle Thread consumption

1 100.0% (139.2 ft)

Upper thread 139.2 ft  
Bobbin 46.4 ft

File: Design2016.PES (Babylock, Bernina, Brother)

Stitches: 9114

Size: 3.41 " x 3.91 "

Begin: 1.70 ", 1.95 "

End: 3.37 ", 0.50 "

Start needle: 1

Colors: 1 , Stops: 0

Date: 9/29/2022



### Histogram

(9114) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Scale 2.2:1

**Needle Thread consumption**

1 100.0% (205.7 ft)

Upper thread 205.7 ft  
Bobbin 68.6 ft

**File: Design2016A.PES (Babylock, Bernina, Brother)**

**Stitches: 12684**

**Size: 4.20 " x 4.81 "**


**Begin: 2.10 ", 2.41 "**

**End: 4.15 ", 0.63 "**

**Start needle: 1**

**Colors: 1 , Stops: 0**

**Date: 9/29/2022**



**Histogram**

(12684) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Scale 1.8:1

**Needle Thread consumption**

1 100.0% (399.6 ft)

Upper thread 399.6 ft  
Bobbin 133.2 ft

**File: Design2016B.PES (Babylock, Bernina, Brother)**

**Stitches: 22634**

**Size: 5.94 " x 6.81 "**


**Begin: 2.97 ", 3.41 "**

**End: 5.87 ", 0.89 "**

**Start needle: 1**

**Colors: 1 , Stops: 0**

**Date: 9/29/2022**



**Histogram**

(22634) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Scale 1.3:1

Needle Thread consumption

1 100.0% (685.4 ft)

Upper thread 685.4 ft  
Bobbin 228.5 ft

File: Design2016C.PES (Babylock, Bernina, Brother)

Stitches: 37011

Size: 7.86 " x 9.01 "


Begin: 3.93 ", 4.50 "

End: 7.77 ", 1.17 "

Start needle: 1

Colors: 1 , Stops: 0

Date: 9/29/2022



### Histogram

(37011) End

This documentation was created with Embird 2003 software registered to Donna Dyer.  
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Scale 1:1.0

All Flakes Welcome!



Frosty the Snowman!



'Tis the season to be freezin'



Baby it's cold outside

