

Creative Fabrica

**Embroidery Design
Sewing Information**

www.creativefabrica.com/embroidery/

© Creative Fabrica

Needle Thread consumption

1	13.1%	(100.8 ft)
2	9.5%	(72.9 ft)
3	41.8%	(321.3 ft)
4	30.0%	(231.0 ft)
5	0.3%	(2.1 ft)
6	0.9%	(6.9 ft)
7	2.2%	(16.9 ft)
8	2.2%	(17.2 ft)

File: 1.PES (Babylock, Bernina, Brother)

Stitches: 44547

Size: 7.28 " x 9.01 "

Begin: 3.64 ", 4.50 "


End: 5.20 ", 8.20 "

Start needle: 1


Colors: 8 , Stops: 7

Date: 12/28/2022

Upper thread 769.1 ft
Bobbin 256.4 ft



Stitches ratio diagram:



Histogram

- (7195) Stop 1
- (12680) Stop 2
- (29571) Stop 3
- (41337) Stop 4
- (41543) Stop 5
- (42018) Stop 6
- (43491) Stop 7
- (44547) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Needle Thread consumption

1	13.4%	(60.3 ft)
2	9.8%	(44.4 ft)
3	41.4%	(186.8 ft)
4	29.6%	(133.4 ft)
5	0.3%	(1.4 ft)
6	0.9%	(4.1 ft)
7	2.3%	(10.5 ft)
8	2.3%	(10.3 ft)

File: 1A.PES (Babylock, Bernina, Brother)

Stitches: 28329

Size: 5.50 " x 6.81 "

Begin: 2.75 ", 3.41 "


End: 3.94 ", 6.20 "

Start needle: 1

Colors: 8 , Stops: 7

Date: 12/28/2022

Upper thread 451.1 ft
Bobbin 150.4 ft



Stitches ratio diagram:



Histogram

- (4967) Stop 1
- (8799) Stop 2
- (19047) Stop 3
- (26085) Stop 4
- (26245) Stop 5
- (26558) Stop 6
- (27653) Stop 7
- (28329) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




Needle Thread consumption

1	13.7%	(32.3 ft)
2	10.5%	(24.7 ft)
3	40.6%	(95.6 ft)
4	29.0%	(68.3 ft)
5	0.4%	(0.8 ft)
6	0.9%	(2.2 ft)
7	2.6%	(6.0 ft)
8	2.3%	(5.5 ft)

File: 1B.PES (Babylock, Bernina, Brother)**Stitches: 16729****Size: 3.89 " x 4.81 "****Begin: 1.94 ", 2.41 "****End: 2.79 ", 4.38 "****Start needle: 1****Colors: 8 , Stops: 7****Date: 12/28/2022**

Upper thread 235.4 ft
 Bobbin 78.5 ft



Stitches ratio diagram:

**Histogram**

(3201) Stop 1
 (5779) Stop 2
 (11427) Stop 3
 (15239) Stop 4
 (15366) Stop 5
 (15559) Stop 6
 (16326) Stop 7
 (16729) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.

**Scale 1.8:1**

Needle Thread consumption

1	13.8%	(22.2 ft)
2	11.1%	(17.9 ft)
3	40.1%	(64.5 ft)
4	28.6%	(45.9 ft)
5	0.4%	(0.6 ft)
6	0.9%	(1.5 ft)
7	2.7%	(4.4 ft)
8	2.4%	(3.8 ft)

File: 1C.PES (Babylock, Bernina, Brother)

Stitches: 12379

Size: 3.17 " x 3.91 "

Begin: 1.58 ", 1.96 "


End: 2.27 ", 3.56 "

Start needle: 1

Colors: 8 , Stops: 7

Date: 12/28/2022

Upper thread 160.7 ft
Bobbin 53.6 ft



Stitches ratio diagram:



Histogram

- (2455) Stop 1
- (4507) Stop 2
- (8500) Stop 3
- (11182) Stop 4
- (11290) Stop 5
- (11441) Stop 6
- (12079) Stop 7
- (12379) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Scale 2.2:1

Needle Thread consumption

1	48.3%	(250.2 ft)
2	29.3%	(151.7 ft)
3	7.3%	(37.8 ft)
4	4.0%	(21.0 ft)
5	1.4%	(7.5 ft)
6	0.3%	(1.5 ft)
7	0.4%	(2.1 ft)
8	8.9%	(46.3 ft)

File: 3.PES (Babylock, Bernina, Brother)

Stitches: 28687

Size: 6.43 " x 9.01 "

Begin: 3.21 ", 4.50 "


End: 3.07 ", 8.41 "

Start needle: 1

Colors: 8 , Stops: 7

Date: 12/28/2022

Upper thread 518.2 ft
Bobbin 172.7 ft



Stitches ratio diagram:



Histogram

- (13003) Stop 1
- (21042) Stop 2
- (23493) Stop 3
- (25236) Stop 4
- (25790) Stop 5
- (25983) Stop 6
- (26169) Stop 7
- (28687) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




Needle Thread consumption

1	48.0%	(144.9 ft)
2	29.1%	(87.8 ft)
3	7.5%	(22.6 ft)
4	4.3%	(13.0 ft)
5	1.5%	(4.5 ft)
6	0.3%	(1.0 ft)
7	0.4%	(1.3 ft)
8	8.9%	(26.9 ft)


Upper thread 301.9 ft
 Bobbin 100.6 ft

File: 3A.PES (Babylock, Bernina, Brother)

Stitches: 17788
Size: 4.86 " x 6.81 "
Begin: 2.43 ", 3.41 "
End: 2.31 ", 6.35 "
Start needle: 1
Colors: 8 , Stops: 7
Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (7883) **Stop 1**
- (12752) **Stop 2**
- (14354) **Stop 3**
- (15578) **Stop 4**
- (15954) **Stop 5**
- (16111) **Stop 6**
- (16245) **Stop 7**
- (17788) **End**

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Needle Thread consumption

1	47.6%	(74.2 ft)
2	28.7%	(44.7 ft)
3	7.7%	(12.0 ft)
4	4.7%	(7.4 ft)
5	1.6%	(2.5 ft)
6	0.4%	(0.6 ft)
7	0.5%	(0.7 ft)
8	8.9%	(13.8 ft)

File: 3B.PES (Babylock, Bernina, Brother)

Stitches: 10107

Size: 3.43 " x 4.81 "

Begin: 1.72 ", 2.41 "


End: 1.66 ", 4.50 "

Start needle: 1

Colors: 8 , Stops: 7

Date: 12/28/2022

Upper thread 155.9 ft
Bobbin 52.0 ft



Stitches ratio diagram:



Histogram

- (4335) Stop 1
- (6970) Stop 2
- (7954) Stop 3
- (8783) Stop 4
- (9030) Stop 5
- (9147) Stop 6
- (9247) Stop 7
- (10107) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Scale 1.8:1

Needle Thread consumption

1	47.2%	(49.9 ft)
2	28.4%	(30.0 ft)
3	7.9%	(8.4 ft)
4	5.0%	(5.3 ft)
5	1.7%	(1.8 ft)
6	0.4%	(0.5 ft)
7	0.5%	(0.5 ft)
8	8.8%	(9.3 ft)

File: 3C.PES (Babylock, Bernina, Brother)

Stitches: 7383

Size: 2.79 " x 3.91 "

Begin: 1.39 ", 1.96 "


End: 1.35 ", 3.66 "

Start needle: 1

Colors: 8 , Stops: 7

Date: 12/28/2022

Upper thread 105.5 ft
Bobbin 35.2 ft



Stitches ratio diagram:



Histogram

- (3087) Stop 1
- (4959) Stop 2
- (5731) Stop 3
- (6385) Stop 4
- (6582) Stop 5
- (6688) Stop 6
- (6766) Stop 7
- (7383) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




Needle Thread consumption

1	47.8%	(372.7 ft)
2	9.2%	(71.4 ft)
3	25.0%	(195.1 ft)
4	2.2%	(17.4 ft)
5	2.6%	(20.3 ft)
6	11.9%	(93.1 ft)
7	0.9%	(7.3 ft)
8	0.3%	(2.3 ft)

Upper thread 779.6 ft
 Bobbin 259.9 ft

File: 4.PES (Babylock, Bernina, Brother)

Stitches: 43852
Size: 6.60 " x 8.99 "
Begin: 3.30 ", 4.50 "
End: 4.39 ", 7.14 "
Start needle: 1
Colors: 8 , Stops: 7
Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (18678) Stop 1
- (22982) Stop 2
- (33755) Stop 3
- (35213) Stop 4
- (37265) Stop 5
- (43146) Stop 6
- (43643) Stop 7
- (43852) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Needle Thread consumption

1	47.3%	(215.3 ft)
2	9.2%	(42.1 ft)
3	25.0%	(113.8 ft)
4	2.3%	(10.6 ft)
5	2.8%	(12.6 ft)
6	12.1%	(55.3 ft)
7	1.0%	(4.3 ft)
8	0.3%	(1.5 ft)

File: 4A.PES (Babylock, Bernina, Brother)

Stitches: 27417

Size: 4.98 " x 6.80 "

Begin: 2.49 ", 3.40 "


End: 3.31 ", 5.39 "

Start needle: 1

Colors: 8 , Stops: 7

Date: 12/28/2022

Upper thread 455.6 ft
Bobbin 151.9 ft



Stitches ratio diagram:



Histogram

- (11125) Stop 1
- (13840) Stop 2
- (20540) Stop 3
- (21573) Stop 4
- (23111) Stop 5
- (26934) Stop 6
- (27255) Stop 7
- (27417) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




Needle Thread consumption

1	46.6%	(110.3 ft)
2	9.3%	(22.0 ft)
3	24.9%	(58.9 ft)
4	2.5%	(5.9 ft)
5	3.0%	(7.2 ft)
6	12.4%	(29.2 ft)
7	1.0%	(2.3 ft)
8	0.4%	(0.9 ft)

Upper thread 236.7 ft
 Bobbin 78.9 ft

File: 4B.PES (Babylock, Bernina, Brother)

Stitches: 15949
Size: 3.52 " x 4.80 "
Begin: 1.76 ", 2.40 "
End: 2.34 ", 3.80 "
Start needle: 1
Colors: 8 , Stops: 7
Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (6002) Stop 1
- (7598) Stop 2
- (11385) Stop 3
- (12104) Stop 4
- (13256) Stop 5
- (15620) Stop 6
- (15822) Stop 7
- (15949) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Needle Thread consumption

1	46.0%	(74.1 ft)
2	9.4%	(15.1 ft)
3	24.9%	(40.1 ft)
4	2.6%	(4.2 ft)
5	3.2%	(5.2 ft)
6	12.5%	(20.2 ft)
7	1.0%	(1.6 ft)
8	0.4%	(0.6 ft)

File: 4C.PES (Babylock, Bernina, Brother)

Stitches: 11734

Size: 2.86 " x 3.90 "

Begin: 1.43 ", 1.95 "


End: 1.91 ", 3.09 "

Start needle: 1

Colors: 8 , Stops: 7

Date: 12/28/2022

Upper thread 161.1 ft
Bobbin 53.7 ft



Stitches ratio diagram:



Histogram

- (4198) Stop 1
- (5391) Stop 2
- (8168) Stop 3
- (8741) Stop 4
- (9667) Stop 5
- (11479) Stop 6
- (11633) Stop 7
- (11734) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




Needle Thread consumption

1	48.6%	(344.6 ft)
2	2.6%	(18.2 ft)
3	5.6%	(39.4 ft)
4	0.3%	(1.9 ft)
5	0.6%	(4.3 ft)
6	19.9%	(141.3 ft)
7	0.4%	(2.7 ft)
8	0.7%	(5.1 ft)
9	1.1%	(7.5 ft)
10	16.4%	(116.2 ft)
11	3.8%	(27.2 ft)

Upper thread 708.4 ft
 Bobbin 236.1 ft

File: 5.PES (Babylock, Bernina, Brother)

Stitches: 39005
Size: 7.57 " x 9.01 "
Begin: 3.78 ", 4.50 "
End: 2.45 ", 7.22 "
Start needle: 1
Colors: 11 , Stops: 10
Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (17891) Stop 1
- (19189) Stop 2
- (21501) Stop 3
- (21663) Stop 4
- (22130) Stop 5
- (29864) Stop 6
- (30191) Stop 7
- (30601) Stop 8
- (31335) Stop 9
- (37426) Stop 10
- (39005) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




Needle Thread consumption

1	48.3%	(200.0 ft)
2	2.6%	(10.9 ft)
3	5.6%	(23.4 ft)
4	0.3%	(1.2 ft)
5	0.6%	(2.7 ft)
6	19.9%	(82.5 ft)
7	0.4%	(1.8 ft)
8	0.7%	(3.1 ft)
9	1.2%	(4.9 ft)
10	16.4%	(67.9 ft)
11	3.9%	(16.0 ft)

Upper thread 414.4 ft
 Bobbin 138.1 ft

File: 5A.PES (Babylock, Bernina, Brother)

Stitches: 24262
Size: 5.72 " x 6.81 "
Begin: 2.86 ", 3.41 "
End: 1.85 ", 5.46 "
Start needle: 1
Colors: 11 , Stops: 10
Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (10864) Stop 1
- (11738) Stop 2
- (13216) Stop 3
- (13336) Stop 4
- (13671) Stop 5
- (18445) Stop 6
- (18709) Stop 7
- (18988) Stop 8
- (19557) Stop 9
- (23278) Stop 10
- (24262) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Needle Thread consumption

1	47.7%	(101.7 ft)
2	2.8%	(5.9 ft)
3	5.7%	(12.2 ft)
4	0.3%	(0.7 ft)
5	0.7%	(1.5 ft)
6	20.0%	(42.6 ft)
7	0.5%	(1.2 ft)
8	0.8%	(1.7 ft)
9	1.3%	(2.8 ft)
10	16.2%	(34.6 ft)
11	3.9%	(8.4 ft)

Upper thread 213.3 ft
 Bobbin 71.1 ft

File: 5B.PES (Babylock, Bernina, Brother)

Stitches: 13731

Size: 4.04 " x 4.81 "


Begin: 2.02 ", 2.41 "

End: 1.31 ", 3.85 "

Start needle: 1

Colors: 11 , Stops: 10

Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (5900) Stop 1
- (6463) Stop 2
- (7345) Stop 3
- (7437) Stop 4
- (7674) Stop 5
- (10376) Stop 6
- (10554) Stop 7
- (10744) Stop 8
- (11142) Stop 9
- (13164) Stop 10
- (13731) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Scale 1.8:1

Needle Thread consumption

1	47.2%	(68.4 ft)
2	2.9%	(4.2 ft)
3	5.9%	(8.5 ft)
4	0.4%	(0.5 ft)
5	0.8%	(1.1 ft)
6	20.0%	(28.9 ft)
7	0.6%	(0.9 ft)
8	0.8%	(1.1 ft)
9	1.5%	(2.1 ft)
10	16.1%	(23.4 ft)
11	3.9%	(5.7 ft)

Upper thread 144.9 ft
 Bobbin 48.3 ft

File: 5C.PES (Babylock, Bernina, Brother)

Stitches: 9966

Size: 3.28 " x 3.91 "


Begin: 1.64 ", 1.96 "

End: 1.06 ", 3.13 "

Start needle: 1

Colors: 11 , Stops: 10

Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (4163) Stop 1
- (4602) Stop 2
- (5275) Stop 3
- (5347) Stop 4
- (5546) Stop 5
- (7506) Stop 6
- (7648) Stop 7
- (7791) Stop 8
- (8120) Stop 9
- (9552) Stop 10
- (9966) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




Needle Thread consumption

1	51.0%	(373.6 ft)
2	2.7%	(20.1 ft)
3	6.1%	(44.4 ft)
4	1.9%	(13.6 ft)
5	1.1%	(8.3 ft)
6	26.6%	(194.5 ft)
7	0.6%	(4.5 ft)
8	0.3%	(2.4 ft)
9	9.7%	(71.0 ft)

Upper thread 732.4 ft
 Bobbin 244.1 ft

File: 6.PES (Babylock, Bernina, Brother)

Stitches: 40972
Size: 5.73 " x 9.02 "
Begin: 2.87 ", 4.51 "
End: 3.04 ", 9.02 "
Start needle: 1
Colors: 9 , Stops: 8
Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (20066) Stop 1
- (21421) Stop 2
- (24027) Stop 3
- (24956) Stop 4
- (25746) Stop 5
- (36222) Stop 6
- (36745) Stop 7
- (36927) Stop 8
- (40972) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




Needle Thread consumption

1	50.9%	(217.6 ft)
2	2.8%	(12.1 ft)
3	6.1%	(26.0 ft)
4	1.9%	(8.1 ft)
5	1.2%	(5.2 ft)
6	26.4%	(112.7 ft)
7	0.7%	(2.9 ft)
8	0.3%	(1.5 ft)
9	9.7%	(41.5 ft)

Upper thread 427.5 ft
 Bobbin 142.5 ft

File: 6A.PES (Babylock, Bernina, Brother)

Stitches: 25458
Size: 4.33 " x 6.81 "
Begin: 2.17 ", 3.41 "
End: 2.29 ", 6.81 "
Start needle: 1
Colors: 9 , Stops: 8
Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (12250) Stop 1
- (13165) Stop 2
- (14823) Stop 3
- (15435) Stop 4
- (16035) Stop 5
- (22418) Stop 6
- (22822) Stop 7
- (22944) Stop 8
- (25458) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




Needle Thread consumption

1	50.7%	(112.0 ft)
2	2.9%	(6.5 ft)
3	6.1%	(13.6 ft)
4	2.0%	(4.3 ft)
5	1.3%	(3.0 ft)
6	26.1%	(57.7 ft)
7	0.8%	(1.7 ft)
8	0.4%	(0.8 ft)
9	9.7%	(21.5 ft)

Upper thread 221.0 ft
 Bobbin 73.7 ft

File: 6B.PES (Babylock, Bernina, Brother)

Stitches: 14503
Size: 3.06 " x 4.81 "
Begin: 1.53 ", 2.41 "
End: 1.63 ", 4.81 "
Start needle: 1
Colors: 9 , Stops: 8
Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (6825) **Stop 1**
- (7396) **Stop 2**
- (8363) **Stop 3**
- (8747) **Stop 4**
- (9181) **Stop 5**
- (12709) **Stop 6**
- (12981) **Stop 7**
- (13065) **Stop 8**
- (14503) **End**

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




Needle Thread consumption

1	50.6%	(76.2 ft)
2	3.0%	(4.5 ft)
3	6.2%	(9.3 ft)
4	2.0%	(3.0 ft)
5	1.4%	(2.2 ft)
6	25.8%	(38.8 ft)
7	0.9%	(1.3 ft)
8	0.4%	(0.6 ft)
9	9.7%	(14.6 ft)

Upper thread 150.5 ft
 Bobbin 50.2 ft

File: 6C.PES (Babylock, Bernina, Brother)

Stitches: 10614
Size: 2.49 " x 3.91 "
Begin: 1.24 ", 1.96 "
End: 1.31 ", 3.91 "
Start needle: 1
Colors: 9 , Stops: 8
Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (4905) Stop 1
- (5345) Stop 2
- (6074) Stop 3
- (6382) Stop 4
- (6735) Stop 5
- (9259) Stop 6
- (9489) Stop 7
- (9561) Stop 8
- (10614) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Scale 2.2:1


Needle Thread consumption

1	53.4%	(395.1 ft)
2	2.8%	(20.5 ft)
3	6.1%	(44.8 ft)
4	13.5%	(99.7 ft)
5	1.3%	(9.5 ft)
6	11.4%	(84.4 ft)
7	0.7%	(5.5 ft)
8	0.4%	(2.6 ft)
9	10.5%	(77.4 ft)

Upper thread 739.4 ft
 Bobbin 246.5 ft

File: 7.PES (Babylock, Bernina, Brother)

Stitches: 39988
Size: 6.94 " x 9.01 "
Begin: 3.47 ", 4.50 "
End: 3.72 ", 9.00 "
Start needle: 1
Colors: 9 , Stops: 8
Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (20457) Stop 1
- (21849) Stop 2
- (24438) Stop 3
- (29683) Stop 4
- (30519) Stop 5
- (35315) Stop 6
- (35743) Stop 7
- (35952) Stop 8
- (39988) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




Needle Thread consumption

1	53.3%	(230.3 ft)
2	2.8%	(12.3 ft)
3	6.1%	(26.3 ft)
4	13.4%	(57.8 ft)
5	1.4%	(5.9 ft)
6	11.5%	(49.5 ft)
7	0.8%	(3.4 ft)
8	0.4%	(1.6 ft)
9	10.4%	(44.9 ft)

Upper thread 432.1 ft
 Bobbin 144.0 ft

File: 7A.PES (Babylock, Bernina, Brother)

Stitches: 24691
Size: 5.24 " x 6.81 "
Begin: 2.62 ", 3.41 "
End: 2.80 ", 6.80 "
Start needle: 1
Colors: 9 , Stops: 8
Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (12415) Stop 1
- (13352) Stop 2
- (14989) Stop 3
- (18171) Stop 4
- (18804) Stop 5
- (21811) Stop 6
- (22120) Stop 7
- (22261) Stop 8
- (24691) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Scale 1.3:1


Needle Thread consumption

1	53.1%	(118.6 ft)
2	2.9%	(6.4 ft)
3	6.1%	(13.7 ft)
4	13.3%	(29.7 ft)
5	1.5%	(3.4 ft)
6	11.6%	(25.8 ft)
7	0.9%	(2.0 ft)
8	0.4%	(0.9 ft)
9	10.3%	(23.0 ft)

Upper thread 223.5 ft
 Bobbin 74.5 ft

File: 7B.PES (Babylock, Bernina, Brother)

Stitches: 13971
Size: 3.69 " x 4.81 "
Begin: 1.85 ", 2.41 "
End: 1.97 ", 4.81 "
Start needle: 1
Colors: 9 , Stops: 8
Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (6855) Stop 1
- (7428) Stop 2
- (8388) Stop 3
- (10135) Stop 4
- (10575) Stop 5
- (12309) Stop 6
- (12537) Stop 7
- (12633) Stop 8
- (13971) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Scale 1.8:1


Needle Thread consumption

1	52.6%	(79.5 ft)
2	3.0%	(4.5 ft)
3	6.2%	(9.4 ft)
4	13.2%	(20.0 ft)
5	1.6%	(2.5 ft)
6	11.7%	(17.7 ft)
7	1.0%	(1.5 ft)
8	0.4%	(0.6 ft)
9	10.2%	(15.5 ft)

Upper thread 151.1 ft
 Bobbin 50.4 ft

File: 7C.PES (Babylock, Bernina, Brother)

Stitches: 10065
Size: 3.00 " x 3.91 "
Begin: 1.50 ", 1.96 "
End: 1.62 ", 3.91 "
Start needle: 1
Colors: 9 , Stops: 8
Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (4819) Stop 1
- (5253) Stop 2
- (5973) Stop 3
- (7209) Stop 4
- (7577) Stop 5
- (8855) Stop 6
- (9042) Stop 7
- (9123) Stop 8
- (10065) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Needle Thread consumption

1	9.3%	(88.2 ft)
2	11.0%	(104.2 ft)
3	41.1%	(388.9 ft)
4	15.7%	(149.1 ft)
5	0.3%	(3.1 ft)
6	2.2%	(21.3 ft)
7	12.3%	(116.4 ft)
8	6.1%	(58.2 ft)
9	1.8%	(17.4 ft)

File: 8.PES (Babylock, Bernina, Brother)

Stitches: 53952

Size: 6.85 " x 8.98 "

Begin: 3.43 ", 4.49 "


End: 1.73 ", 6.33 "

Start needle: 1


Colors: 9 , Stops: 8

Date: 12/28/2022

Upper thread 946.7 ft
Bobbin 315.6 ft



Stitches ratio diagram:



Histogram

- (6525) Stop 1
- (13632) Stop 2
- (33276) Stop 3
- (41399) Stop 4
- (41806) Stop 5
- (43541) Stop 6
- (49688) Stop 7
- (52954) Stop 8
- (53952) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Needle Thread consumption

1	9.5%	(52.6 ft)
2	11.2%	(62.3 ft)
3	40.8%	(226.4 ft)
4	15.6%	(86.7 ft)
5	0.4%	(2.0 ft)
6	2.4%	(13.1 ft)
7	12.2%	(67.4 ft)
8	6.1%	(34.0 ft)
9	1.8%	(10.2 ft)

Upper thread 554.8 ft
 Bobbin 184.9 ft

File: 8A.PES (Babylock, Bernina, Brother)

Stitches: 33901

Size: 5.18 " x 6.79 "


Begin: 2.59 ", 3.39 "

End: 1.31 ", 4.78 "


Start needle: 1

Colors: 9 , Stops: 8

Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (4427) Stop 1
- (9155) Stop 2
- (20995) Stop 3
- (25971) Stop 4
- (26270) Stop 5
- (27521) Stop 6
- (31261) Stop 7
- (33273) Stop 8
- (33901) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




Needle Thread consumption

1	9.8%	(28.2 ft)
2	11.5%	(33.3 ft)
3	40.1%	(115.5 ft)
4	15.6%	(44.9 ft)
5	0.4%	(1.2 ft)
6	2.5%	(7.3 ft)
7	12.1%	(35.0 ft)
8	6.1%	(17.7 ft)
9	1.8%	(5.3 ft)


Upper thread 288.5 ft
 Bobbin 96.2 ft

File: 8B.PES (Babylock, Bernina, Brother)

Stitches: 19526
Size: 3.66 " x 4.80 "
Begin: 1.83 ", 2.40 "
End: 0.93 ", 3.38 "
Start needle: 1
Colors: 9 , Stops: 8
Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (2707) Stop 1
- (5674) Stop 2
- (12060) Stop 3
- (14850) Stop 4
- (15065) Stop 5
- (15927) Stop 6
- (18010) Stop 7
- (19166) Stop 8
- (19526) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




Needle Thread consumption

1	10.0%	(19.6 ft)
2	11.9%	(23.2 ft)
3	39.6%	(77.4 ft)
4	15.4%	(30.1 ft)
5	0.5%	(0.9 ft)
6	2.7%	(5.3 ft)
7	12.0%	(23.6 ft)
8	6.1%	(12.0 ft)
9	1.9%	(3.6 ft)

Upper thread 195.8 ft
 Bobbin 65.3 ft

File: 8C.PES (Babylock, Bernina, Brother)

Stitches: 14353
Size: 2.97 " x 3.90 "
Begin: 1.48 ", 1.95 "
End: 0.74 ", 2.74 "
Start needle: 1
Colors: 9 , Stops: 8
Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (2073) Stop 1
- (4401) Stop 2
- (8866) Stop 3
- (10860) Stop 4
- (11040) Stop 5
- (11754) Stop 6
- (13247) Stop 7
- (14088) Stop 8
- (14353) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Needle Thread consumption

1	11.9%	(75.7 ft)
2	7.7%	(49.3 ft)
3	8.9%	(57.0 ft)
4	44.2%	(282.0 ft)
5	1.6%	(10.5 ft)
6	0.3%	(1.9 ft)
7	0.9%	(5.5 ft)
8	0.7%	(4.4 ft)
9	23.8%	(151.7 ft)

File: 9.PES (Babylock, Bernina, Brother)

Stitches: 35304

Size: 5.35 " x 9.01 "

Begin: 2.68 ", 4.50 "


End: 1.43 ", 6.64 "

Start needle: 1


Colors: 9 , Stops: 8

Date: 12/28/2022

Upper thread 638.0 ft
Bobbin 212.7 ft



Stitches ratio diagram:



Histogram

- (4251) Stop 1
- (7060) Stop 2
- (10356) Stop 3
- (25422) Stop 4
- (26145) Stop 5
- (26316) Stop 6
- (26949) Stop 7
- (27291) Stop 8
- (35304) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Needle Thread consumption

1	11.9%	(44.3 ft)
2	7.7%	(28.8 ft)
3	9.0%	(33.4 ft)
4	44.0%	(163.8 ft)
5	1.7%	(6.3 ft)
6	0.3%	(1.1 ft)
7	1.0%	(3.6 ft)
8	0.7%	(2.7 ft)
9	23.7%	(88.0 ft)

File: 9A.PES (Babylock, Bernina, Brother)

Stitches: 21845

Size: 4.05 " x 6.81 "

Begin: 2.02 ", 3.41 "


End: 1.10 ", 5.04 "

Start needle: 1

Colors: 9 , Stops: 8

Date: 12/28/2022

Upper thread 372.0 ft
Bobbin 124.0 ft



Stitches ratio diagram:



Histogram

- (2645) Stop 1
- (4399) Stop 2
- (6460) Stop 3
- (15625) Stop 4
- (16104) Stop 5
- (16223) Stop 6
- (16730) Stop 7
- (16977) Stop 8
- (21845) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Needle Thread consumption

1	12.0%	(23.0 ft)
2	7.8%	(14.9 ft)
3	9.1%	(17.4 ft)
4	43.7%	(83.9 ft)
5	1.8%	(3.4 ft)
6	0.3%	(0.6 ft)
7	1.1%	(2.1 ft)
8	0.8%	(1.5 ft)
9	23.4%	(44.9 ft)

File: 9B.PES (Babylock, Bernina, Brother)

Stitches: 12408

Size: 2.86 " x 4.81 "

Begin: 1.43 ", 2.41 "


End: 0.71 ", 3.49 "

Start needle: 1

Colors: 9 , Stops: 8

Date: 12/28/2022

Upper thread 191.8 ft
Bobbin 63.9 ft



Stitches ratio diagram:



Histogram

- (1513) Stop 1
- (2502) Stop 2
- (3685) Stop 3
- (8796) Stop 4
- (9110) Stop 5
- (9190) Stop 6
- (9581) Stop 7
- (9748) Stop 8
- (12408) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Needle Thread consumption

1	12.1%	(15.7 ft)
2	7.8%	(10.1 ft)
3	9.1%	(11.8 ft)
4	43.6%	(56.6 ft)
5	1.8%	(2.4 ft)
6	0.4%	(0.5 ft)
7	1.2%	(1.5 ft)
8	0.9%	(1.1 ft)
9	23.3%	(30.3 ft)

File: 9C.PES (Babylock, Bernina, Brother)

Stitches: 9016

Size: 2.33 " x 3.91 "

Begin: 1.16 ", 1.96 "


End: 0.58 ", 2.83 "

Start needle: 1

Colors: 9 , Stops: 8

Date: 12/28/2022

Upper thread 129.9 ft
Bobbin 43.3 ft



Stitches ratio diagram:



Histogram

- (1097) Stop 1
- (1818) Stop 2
- (2681) Stop 3
- (6339) Stop 4
- (6589) Stop 5
- (6658) Stop 6
- (6978) Stop 7
- (7116) Stop 8
- (9016) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.




Needle Thread consumption

1	12.3%	(83.2 ft)
2	10.7%	(72.3 ft)
3	2.0%	(13.8 ft)
4	2.9%	(19.8 ft)
5	3.0%	(20.1 ft)
6	1.8%	(12.0 ft)
7	1.1%	(7.3 ft)
8	54.0%	(365.5 ft)
9	1.5%	(10.4 ft)
10	10.7%	(72.4 ft)


Upper thread 676.9 ft
 Bobbin 225.6 ft

File: 10.PES (Babylock, Bernina, Brother)

Stitches: 41612
Size: 6.34 " x 9.01 "
Begin: 3.17 ", 4.50 "
End: 5.00 ", 4.22 "
Start needle: 1
Colors: 10 , Stops: 9
Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (5057) Stop 1
- (10890) Stop 2
- (12971) Stop 3
- (14341) Stop 4
- (15649) Stop 5
- (16430) Stop 6
- (16935) Stop 7
- (36227) Stop 8
- (37045) Stop 9
- (41612) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Needle Thread consumption

1	12.3%	(48.9 ft)
2	11.1%	(44.1 ft)
3	2.2%	(8.8 ft)
4	3.0%	(12.0 ft)
5	3.0%	(12.0 ft)
6	1.8%	(7.2 ft)
7	1.1%	(4.3 ft)
8	53.2%	(212.4 ft)
9	1.6%	(6.3 ft)
10	10.8%	(43.0 ft)

Upper thread 399.0 ft
 Bobbin 133.0 ft

File: 10A.PES (Babylock, Bernina, Brother)

Stitches: 26627

Size: 4.79 " x 6.81 "


Begin: 2.39 ", 3.41 "

End: 3.76 ", 3.19 "


Start needle: 1

Colors: 10 , Stops: 9

Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (3180) Stop 1
- (7250) Stop 2
- (8810) Stop 3
- (9723) Stop 4
- (10589) Stop 5
- (11094) Stop 6
- (11429) Stop 7
- (23115) Stop 8
- (23677) Stop 9
- (26627) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Needle Thread consumption

1	12.2%	(25.5 ft)
2	11.7%	(24.5 ft)
3	2.4%	(5.1 ft)
4	3.1%	(6.5 ft)
5	3.1%	(6.5 ft)
6	1.8%	(3.8 ft)
7	1.1%	(2.3 ft)
8	52.1%	(109.2 ft)
9	1.7%	(3.5 ft)
10	10.8%	(22.7 ft)

Upper thread 209.7 ft
 Bobbin 69.9 ft

File: 10B.PES (Babylock, Bernina, Brother)

Stitches: 16055

Size: 3.38 " x 4.81 "


Begin: 1.69 ", 2.41 "

End: 2.65 ", 2.26 "


Start needle: 1

Colors: 10 , Stops: 9

Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (1885) Stop 1
- (4628) Stop 2
- (5766) Stop 3
- (6362) Stop 4
- (6912) Stop 5
- (7225) Stop 6
- (7427) Stop 7
- (13911) Stop 8
- (14282) Stop 9
- (16055) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



Scale 1.8:1

Needle Thread consumption

1	12.2%	(17.5 ft)
2	12.2%	(17.6 ft)
3	2.6%	(3.7 ft)
4	3.2%	(4.6 ft)
5	3.1%	(4.5 ft)
6	1.8%	(2.6 ft)
7	1.1%	(1.6 ft)
8	51.1%	(73.6 ft)
9	1.8%	(2.5 ft)
10	10.9%	(15.8 ft)

Upper thread 144.0 ft
 Bobbin 48.0 ft

File: 10C.PES (Babylock, Bernina, Brother)

Stitches: 12095

Size: 2.75 " x 3.91 "


Begin: 1.37 ", 1.96 "

End: 2.17 ", 1.84 "


Start needle: 1

Colors: 10 , Stops: 9

Date: 12/28/2022



Stitches ratio diagram:



Histogram

- (1414) Stop 1
- (3613) Stop 2
- (4533) Stop 3
- (5013) Stop 4
- (5430) Stop 5
- (5667) Stop 6
- (5821) Stop 7
- (10438) Stop 8
- (10747) Stop 9
- (12095) End

This documentation was created with Embird 2003 software registered to Donna Dyer.
 For more information regarding Embird 2003 please visit web site at <http://www.embird.com>.



